DEPARTMENT OF ELECTRONICS AND COMMUNICATION ENGINEERING

FUNDAMENTALS OF COMPUTER NETWORKS (J320I)

[R20]

B.TECH ECE (III YEAR – II SEM) (2023-24)



J. B. INSTITUTE OF ENGINEERING AND TECHNOLOGY (UGC AUTONOMOUS) Accredited by NBA & NAAC, Approved by AICTE & Permanently affiliated to JNTUH Bhaskar Nagar, Yenkapally(V), Moinabad(M), Ranaga Reddy(D),Hyderabad – 500 075, Telanagana, India.

AY 2020-21	J. B. Institute of Engineering and Technology	B.Tech					
onwards	(UGC Autonomous)	III Year – II Sem					
Course Code:J32O I	FUNDAMENTALS OF COMPUTER NETWORKS (Open Elective-II)	L	Т	Р	D		
Credits: 3		3	0	0	0		

Pre-Requisites:

- 1. Knowledge on "Digital Logic Design".
- 2. Knowledge on "Computer Organization".

Course objectives:

The Student will:

- 1. Recognize various layering approaches for networking and understand the functionalities of physical layer.
- 2. Identify the data link layer protocols, multi access protocols and various internetworking devices.
- 3. Examine design issues of network layer, services provided to above layer and routing, and congestion control protocols.
- 4. Examine IP protocol, addressing, various protocols like CIDR, ICMP, ARP and RARP of internet Layer and examination of transport layer services.
- 5. Examine Transport layer protocols like TCP, UDP and various congestion controlling mechanisms, including application layer services, protocols like HTTP, FTP, E-Mail etc.

Module 1:

Overview of the Internet: Protocol, Layering Scenario, TCP/IP Protocol Suite: The OSI Model, Comparison of the OSI and TCP/IP reference model.

Physical Layer: Guided transmission media, wireless transmission media.

Connecting Devices: Repeaters, Hubs, Switches, Gateways and Bridges.

Module 2:

Data Link Layer: Design issues, Framing, Error Detection and Error Correction, Hamming Distance, CRC, Flow control and error Control.

Protocols: Noiseless Channels, Noisy Channels,

Multi Access protocols- Random access - ALOHA, CSMA, CSMA/CD and CSMA/CA,

Controlled access, Channelization.

Module 3:

Network Layer: Network layer design issues, Store and forward packet switching, connection less and connection oriented network services.

Internetworking: Protocols-IPV4 and IPV6, Logical Addressing-IPV4, IPV6, Tunneling and Packet Fragmentation.

Address Mapping: ARP, RARP, DHCP, ICMP and IGMP.

Routing Algorithms: Shortest Path Finding and Distance Vector Routing Algorithms.

Module 4:

Transport Layer: Process to Process Communication, User Datagram Protocol (UDP), Transmission Control Protocol (TCP), The TCP Connection Establishment, The TCP Connection Release, The TCP sliding window, The TCP congestion control

Module 5:

Application Layer: Introduction, services, Application layer paradigms. **Applications:** DNS, WWW, HTTP, FTP, E-MAIL, TELNET, SNMP, SSH.

Text Books:

- 1. ComputerNetworks,5E,Peterson,Davie,Elsevier
- 2. Introduction to Computer Networks and CyberSecurity, Chawan -HwaWu, Irwin, CRC Publications.
- 3. Computer Networks and Internets with Internet Applications, Comer .

Reference Books:

- 1. Data Communications and Networking Behrouz A. Forouzan, Fifth Edition TMH, 2013.
- 2. Computer Networks Andrew S Tanenbaum, 4th Edition, Pearson Education

E - Resources:

- 1. https://lecturenotes.in/subject/2234/Computer_Network
- 2. http://nptel.ac.in/courses/106102234/
- 3. https://www.iitg.ernet.in/dgoswami/CN-Notes.pdf
- 4. http://www.coursera.org/http://ocw.mit.edu/index.htm.

Course outcomes:

The Student will be able to

- 1. **Demonstrate** the networking concepts, various Layering approaches and their functionalities.
- 2. **Understand** the protocols of Data Link layer, how a medium can be shared among multiple devices and internetworking devices used.
- 3. Work on fragmentation, assigning of logical address and judge on routing, congestion.

- 4. **Demonstrate** the working of IP Protocol, other protocols of internet layer and services of transport layer.
- 5. **Explain** the transport layer and application layer protocols, their working

CO-PO/PSO Mapping Chart (3/2/1 indicates strength of correlation) 3 – Strong; 2 – Medium; 1 - Weak														
Course Outcomes	Program Outcomes (POs)											Program Specific Outcomes		
(COs)	PO	PO	PO	PO	PO	PO	PO	PO	PO	PO	PO	PO	PSO	PSO
	1	2	3	4	5	6	7	8	9	10	11	12	1	2
CO1	2	2	2	-	-	-	-	-	-	-	-	-	-	2
CO2	3	2	2	-	-	-	-	-	-	-	-	-	2	2
CO3	3	2	2	-	-	-	-	-	-	-	-	-	2	2
CO4	2	2	2	-	-	-	-	-	-	-	-	-	2	2
CO5	2	2	2	-	-	-	-	-	-	-	-	-	2	2
Average	2.4	2.0	2.0	-	-	-	-	-	-	-	-	-	2.0	2.0



Computer Networking

Mrs. K. Snehalatha Assoc., Prof. ECE Dept

Course Content


- Networks: Basic concepts
- Uses of networks in sharing of resources, Backups
- Common types of networks; LAN/WAN/Internet, Server based networks, client server model, P2P
- Network media
- Wireless networks.
- Threats to networks
- The internet world
- Cloud and Cloud Computing

The Computer Network

- A **computer network** is a group of computers/devices(Nodes) that use a set of common communication protocols over digital interconnections for the purpose of sharing resources located on or provided by the network nodes.
- The nodes of a computer network may include personal computers, servers, networking hardware, or other specialised or general-purpose hosts.
- A communication protocol is a set of rules for exchanging information over a network.
- The interconnections between nodes are formed from a broad spectrum of telecommunication network technologies, based on physically wired, optical, and wireless technologies.

The Network Diagram

(Click on the Words Below and Learn More About Each Component)



The Advantages/Uses of Network

Simultaneous Access

There are moments in any business when several workers may need to use the same data at the same time.
Shared Peripheral Devices

Personal Communications

- Videoconferencing
- Voice over Internet Protocol (VoIP):-VoIP transmits the sound of voice over a computer network using the Internet Protocol (IP) rather than sending the signal over traditional phone wires

Easier Data Backup

The Networking Devices(Nodes)

- 1. NIC Card
- 2. Repeater
- 3. Hub
- 4. Switch
- 5. Bridge
- 6. Router
- 7. Gateway <u>8.</u> Firewall

1. Network Interface Card

- NIC is used to physically connect host devices to the network media.
- A NIC is a printed circuit board that fits into the expansion slot of a bus on a computer motherboard.
- It can also be a peripheral device. NICs are sometimes called network adapters.
- Each NIC is identified by a unique code called a Media Access Control (MAC) address.
- This address is used to control data communication for the host on the network.

2. Repeaters

- A repeater is a network device used to regenerate a signal.
- Repeaters regenerate analog or digital signals that are distorted by transmission loss due to attenuation.
- A repeater does not make an intelligent decision concerning forwarding packets



3. Hubs


Hubs concentrate on connections.
 In other words, they take a group of hosts and allow the network to see them as a single unit. This is done passively, without any other effect on the data transmission.
 Active hubs concentrate hosts and

also regenerate signals.

100BaseTHub




10BaseTHub



4. Bridges


- Bridges convert network data formats and perform basic data transmission management.
- Bridges provide connections between LANs.
- They also check data to determine if it should cross the bridge. This makes each part of the network more efficient



5. Switches


Switches add more intelligence to data transfer management.

- They can determine if data should remain on a LAN and transfer data only to the connection that needs it.
- Another difference between a bridge and switch is that a switch does not convert data transmission formats



6. Routers


- Routers have all the capabilities listed above.
- Routers can regenerate signals, concentrate multiple connections, convert data transmission formats, and manage data transfers.
- They can also connect to a WAN, which allows them to connect LANs that are separated by great distances.



7. Gateway


A gateway is a piece of <u>networking</u> <u>hardware</u> used in <u>telecommunications</u> for telecommunications networks that allows data to flow from one discrete network to another.

Gateways are distinct from <u>routers</u> or <u>switches</u> in that they communicate using more than one protocol to connect a bunch of networks



8. Firewall

- A <u>firewall</u> is a network device or software for controlling network security and access rules.
- Firewalls are inserted in connections between secure internal networks and potentially insecure external networks such as the Internet.
- Firewalls are typically configured to reject access requests from unrecognized sources while allowing actions from recognized ones.
- The vital role firewalls play in network security grows in parallel with the constant increase in <u>cyber attacks</u>.



Network Media

The function of the media is to carry a flow of information through a LAN.


A. Wired Media:- widely adopted *family* that uses copper and fiber media in <u>local area network</u> (LAN) technology are collectively known as <u>Ethernet</u>

- 1. Copper Cable
 - a. Coaxial Cables
 - b. Shielded Twisted Pair(STP)
 - c. Unshielded Twisted Pair
- 2. Fibre Optic Cable

B. Wireless Media:- use the atmosphere, or space, as the medium.

1. Copper Cable


- The most common, easiest, quickest, and cheapest form of network media to install.
- The disadvantage of sending data over copper wire is that the further the signal travels, the weaker it becomes.



a. Coaxial Cable


It can be run longer distances than Twisted pair Cables.

- Speed: 10-100Mbps
- Cost: Inexpensive
- Media and connector size: Medium
- Maximum cable length: 500m



b. Shielded Twisted Pair(STP)


- Speed: 10-100Mbps
- Cost: Moderate
- Media and connector size: Medium to large
- Maximum cable length: 100m



c. Unshielded Twisted Pair

- UTP is a four-pair wire Speed: 10-100-1000 Mbps* medium used in a variety of networks.
- covered by insulating material


Cost: Least Expensive Media and connector size: Small Each of the eight copper Maximum cable length: 100m * (Depending wires in the UTP cable is on the quality/category of cable)



UTP Implementation


 EIA (Electronics Industries Alliance)/TIA (Telecommunications Industry Association) and specifies an RJ-45 connector for UTP cable.

The letters RJ stand for registered jack.



Fiber Optic Cable

- Glass fiber carrying light pulses, each pulse a bit.
- Based on the Total Internal Reflection of Light.
- High-speed point-to-point transmission 10-100's Gbps
- Iow error rate:
 - repeaters spaced far apart
 - immune to electromagnetic noise




Communication Protocols

Internet Protocol Suite

- Also called TCP/IP, is the foundation of all modern networking.
- It defines the addressing, identification, and routing specifications for IPv4 and for IPv6.
- \succ It is the defining set of protocols for the Internet.
- **IEEE 802**
 - It is a family of IEEE standards dealing with local area networks and metropolitan area networks.
 - They operate mostly at levels 1 and 2 of the OSI model.

Ethernet

It is a family of protocols used in wired LANs, described by a set of standards together called <u>IEEE 802.3</u>



Communication Protocols

Wireless LAN

It is standardized by <u>IEEE 802.11</u> and shares many properties with wired Ethernet.

SONET/SDH

Synchronous optical networking (SONET) and Synchronous Digital Hierarchy (SDH) are standardized <u>multiplexing</u> protocols that transfer multiple digital bit streams over optical Fibre using lasers.

Asynchronous Transfer Mode(ATM)

- It uses asynchronous <u>time-division multiplexing</u> and encodes data into small, fixed-sized <u>cells</u>.
- Good choice for a network that handle both traditional high-throughput data traffic, and real-time, <u>low-latency</u> content such as voice and video.


Types of Networks

- 1. Personal Area Network (PAN)
- 2. Local Area Network (LAN)
- 3. Campus Area Network (CAN)
- 4. Metropolitan Area Network (MAN)
- 5. Wide Area Network (WAN)
- 6. Storage-Area Network (SAN)
- 7. Virtual Private Network (VPN)
- 8. Client Server Network
- 9. Peer to Peer Network (P2P)

1. Personal Area Network


- 1. Personal Area Network (PAN) is a computer network used for data transmission amongst devices such as computers, telephones, tablets and personal digital assistants.
- 2. Also Known as HAN (Home Area Network)

3. PANs can be used for communication amongst the personal devices themselves (interpersonal communication), or for connecting to a higher level network and the Internet (an uplink) where one "master" device takes up the role as internet router.



2. Local Area Network


- Xerox Corporation worked in collaboration with DEC and Intel to create Ethernet, which is the most pervasive LAN architecture used today.
- Ethernet has evolved and has seen significant improvements in regard to speed and efficiency.




- An upside of a LAN is fast data transfer with data speed that can reach up to 10Gbps.
- Other significant LAN technologies are Fiber Distributed Data Interface (FDDI) and token ring.

3. Campus Area Network

- Larger than LANs, but smaller than metropolitan area networks these types of networks are typically seen in universities, large K-12 school districts or small businesses.
- They can be spread across several buildings that are fairly close to each other so users can share resources



4. Metropolitan Area Network



- 1. A MAN is larger than a LAN but smaller than or equal in size to a WAN.
- 2. The size range anywhere from 5 to 50km in diameter.
- 3. MANs are typically owned and managed by a single entity.
- 4. This could be an ISP or telecommunications company that sells its services to end-users in that metropolitan area.
- 5. For all intents and purposes, a MAN has the same characteristics as a WAN with distance constraints.


5. Wide Area Network



- A Wide Area Network exist over a large area
- Data travels through telephone or cable lines
- Usually requires a Modem
- The world's largest Wide Area Network in the Internet


6. Storage Area Network

- SAN may be referred to as a Sub network or special purpose network.
- Its special purpose is to allow users on a larger network to connect various data storage devices with clusters of data servers.
- SANs can be accessed in the same fashion as a drive attached to a server.



7. Virtual Private Network


- VPN is a private network that can access public networks remotely. VPN uses encryption and security protocols to retain privacy while it accesses outside resources.
- When employed on a network, VPN enables an end user to create a virtual tunnel to a remote location. Typically, telecommuters use VPN to log in to their company networks from home.



- Authentication is provided to validate the identities of the two peers.
- Confidentiality provides encryption of the data to keep it private from prying eyes.
- Integrity is used to ensure that the data sent between the two devices or sites has not been tampered with.


8. Client/Serve<u>r N</u>etwork

- In a client/server arrangement, network services are located on a dedicated computer called a server.
- The server responds to the requests of clients.
- The server is a central computer that is continuously available to respond to requests from clients for file, print, application, and other services.



- Most network operating systems adopt the form of a client/server relationship.
- Typically, desktop computers function as clients, and one or more computers with additional processing power, memory, and specialized software function as servers.

9. Peer to Peer Network



- Usually very small networks
- Each workstation has equivalent capabilities and responsibilities
- Does not require a switch or a hub.
- These types of networks do not perform well under heavy data loads.

Network Topologies

Network topology defines the structure of the network.

- A. Physical topology:- It define the actual layout of the wire or media.
 - 1. Bus
 - 2. Ring
 - 3. Star
 - 4. Tree(Hierarchical)
 - 5. Mesh
- B. Logical topology:- It defines how the hosts access the media to send data.
 - 1. Broadcast
 - 2. Token passing
- C. Hybrid Topology

1. Bus Topology

All devices are connected to a central cable, called bus or backbone.

There are terminators at each end of the bus that stops the signal and keeps it from traveling backwards.

Advantages:

- 1. There is no central controller.
- 2. Control resides in each station
- 3. The less interconnecting wire is required.
- 4. Ease of installation.
- Backbone cable can be laid along the most efficient path, and then connected to the nodes by drop lines of various lengths

- 1. It is possible that more than one station may attempt transmission simultaneously (collision or contention).
- 2. Difficult reconfiguration and fault isolation.
- 3. A fault or break in the bus cable stops all transmission, even between devices on the same side of the problem.
- 4. The damaged area reflects signals in the direction of origin, creating noise in both directions


2. Ring Topology

- All devices are connected to one another in the shape of a closed loop.
- Each device is connected directly to two other devices, one on either side of it.

Advantages:

- 1. Avoids the collisions that are possible in the bus topology.
- 2. Each pair of stations has a point-to-point connection.
- 3. A signal is passed along the ring in one direction, from device to another, until it reaches its destination.
- 4. Each device incorporates a repeater.
- 5. Relatively easy to install and reconfigure.
- 6. Fault isolation is simplified.

- 1. A break in the ring (such as station disabled) can disable the entire network.
- 2. Unidirectional traffic.




3. Star Topology

- All devices are connected to a central hub.
- Nodes communicate across the network by passing data through the hub or switch.

Advantages:

- 1. Easy to install and reconfigure.
- 2. Robustness, if one link fails; only that link is affected. All other links remain active.
- 3. Easy fault identification and isolation. As long as the hub is working, it can be used to monitor link problems and bypass defective links.

- 1. The devices are not linked to each other.
- 2. If one device wants to send data to another, it sends it to the controller, which then relays the data to the other connected device.




4. Tree/Hierarchical Topology

Advantages:

- It allows more devices to be attached to a single central hub and can therefore increase the distance a signal can travel between devices.
- 2. It allows the network to isolate and prioritize communications from different computers.


- 1. The devices are not linked to each other.
- 2. If one device wants to send data to another, it sends it to the controller, which then relays the data to the other connected device.
- 3. The addition of secondary hubs brings two further advantages.



6. Mesh Topology

Each host has its connections to all other hosts. Mesh topology is implemented to provide as much protection as possible from interruption of service.

- 1. A nuclear power plant might use a mesh topology in the networked control systems.
- 2. Although the Internet has multiple paths to any one location, it does not adopt the full mesh topology.



Advantages:

1. The use of dedicated links guarantees that each connection can carry its data load, thus eliminating the traffic problems that can occur when links must be shared by multiple devices.

2. It is robust, if one link becomes unusable, it does not incapacitate (affect) the entire system.

3. Privacy and Security (every message sent travels along a dedicated line; only the intended recipient sees it).

4. Point-to-point links make fault identification and fault isolation easy.

- 1. A large amount of cabling required.
- A large amount of I/O ports required.
 Installation and reconfiguration are difficult.
- 4. The sheer bulk of the wiring can be greater than the available space (in the walls, ceiling, or floors) can accommodate.5. The hardware required to connect each link (I/O ports and cables) can be prohibitively expensive.

Wireless Networks

Wireless network is a type of computer network that uses wireless data connections for connecting network nodes.


Example

Bluetooth Wi-Fi



Bluetooth

- Bluetooth is a short-range wireless technology standard used for exchanging data between fixed and mobile devices over short distances.
- It is using <u>UHF</u> radio waves in the <u>ISM bands</u>, from 2.402 GHz to 2.48 GHz.
- The <u>IEEE</u> standardized Bluetooth as **IEEE 802.15.1**, but no longer maintains the standard.



Wi-Fi

- ➢ Wi-Fi Stands for Wireless Fidelity.
- Wi-Fi, is a Local Area Wireless technology.
- Wi-Fi networks use radio technologies to transmit and receive data at high speed.
- It is based on the IEEE 802.11 family of standards.
- Access point: The access point is a wireless LAN transceiver or "base station" that can connect one or many wireless devices simultaneously to the internet




The Internet

The simplest definition of the Internet is that it's a network of computer networks

How Information Travel Through the Internet


A page on the Internet—whether it's full of words, images or both—doesn't come to you in one shipment. It's translated into digital information, chopped into 1500 byte pieces called **PACKETS**, and sent to you like a puzzle that needs to be reassembled. Each part of the packet has a specific function:



The Internet

How Information Travel Through the Internet

When you connect to a Web site through an ISP and start exchanging information, there isn't a fixed connection between your computer and the Web server computer hosting the Web site. Instead, information is exchanged using the best possible path at that particular time. Special computers called routers determine these paths, avoiding slow links and favoring fast ones.



Cloud Computing

Cloud computing is Internet-based computing, whereby shared resources, software, and information are provided to computers and other devices on demand, like the electricity grid.

A Cloud is a type of parallel and distributed system consisting of a collection of interconnected and virtualized computers that are dynamically provisioned and presented as one or more unified computing resources based on service-level agreements established through negotiation between the service provider and consumers.



